SN	Clause No.	Clause Description	Proposed Amendment	IOCL CO-HSE comments on proposed amendment	Remarks/ justifications
1	2 (f)	in which the normal patterns of life within an industrial complex are suddenly disrupted and in certain cases affecting the neighborhood	"disaster" means a catastrophe, mishap, calamity or grave occurrence in any area, arising from natural or man made causes, or by accident or negligence which results in substantial loss of life or human suffering or damage to, and destruction of, property, or damage to, or degradation of, environment, and is of such a nature or magnitude as to be beyond the coping capacity of the community of the affected area.	Agreeable	
2	2 (I)	"incident record register" means a register containing complete information pertaining to all incidents covering near miss, and all other incidents leading to Level-I, Level-II and Level-III emergencies;	"incident recording system" means a system containing complete information pertaining to all incidents including near misses.	Agreeable	
3	2 (n)	"leak" means release or discharge of a dangerous chemicals or substances or material into the environment;	"leak" means release or discharge of a hazardous chemical(s) or substances or material in any state into the environment	Agreeable	
4	2('r)	"mutual aid association" means an industrial mutual aid association in which participating industries as a community shall assist each other in case of emergency. Mutual aid associations supplement a site's emergency control plan. Services of member industries shall be requested only when the emergency threatens to exceed the capability of otherwise available resources;	"mutual aid group" means an industrial mutual aid group in which participating industries as a community shall assist each other in case of emergency. Mutual aid agreement supplement a site's emergency control plan. Services of member industries shall be requested only when the emergency threatens to exceed the capability of otherwise available resources; (12.3)	Agreeable	
5	2 (t)	"off site emergency" means an emergency that takes place in an installation and the effects of emergency extends beyond the premises or the emergency created due to an incident, catastrophic incidents, natural calamities, etc. It no longer remains the concern of the installation management alone but also becomes a concern for the general public living outside and to deal with such eventualities shall be the responsibilities of district administration;	"off site emergency" means an emergency that takes place in an installation or site and the effects of emergency extends beyond the premises or the emergency created due to an incident, catastrophic incidents, natural calamities, etc. It no longer remains the concern of the installation management alone but also becomes a concern for the general public living outside and to deal with such eventualities shall be the responsibilities of district administration;	Agreeable	
6	2 (z)	"risk assessment" means the quantitative evaluation of the likelihood of undesired events and the likelihood of harm or damage being caused by them, together with the value judgments made concerning the significance of the results;	"risk assessment" means the evaluation of the likelihood of undesired events and the likelihood of harm or damage being caused by them, together with the value judgments made concerning the significance of the results.	Agreeable	
7	2 (aa)	Tisk management" means the programme that embraces all administrative and operational programmes that are designed to reduce the risk of emergencies involving acutely hazardous materials. Such programmes include, but are not limited to, ensuring the design safety of new and existing equipment, standard operating procedures, preventive maintenance, operator training, incident investigation procedures, risk assessment for unit operations, emergency planning, and internal and external procedures to ensure that these programmes are being executed as planned;	"risk management" means the programme that embraces all administrative and operational programmes that are designed to reduce or manage the risk of undesired event involving acutely hazardous materials. Such programmes include, but are not limited to, ensuring the design safety of new and existing equipment, standard operating procedures, preventive maintenance, operator training, incident investigation procedures, risk assessment for unit operations, emergency planning, and internal and external procedures to ensure that these programmes are being executed as planned;	Agreeable	
8	2 (ad)	"transport emergency (TREM) card" means a card containing details about the nature of hazards, protective devices, telephone numbers and actions related to spillage, fire, first aid and other details of national and international (UN) numbers or signage which is common in India and abroad;	"transport emergency (TREM) card" means a card containing details about the nature of hazards, protective devices, emergency telephone numbers and actions related to spillage, fire, first aid and other details of national and international (UN) numbers or signage which is common in India and abroad;	Agreeable	
9	3 ('c)	liquid petroleum product pipeline;	petroleum and petroleum product pipeline	Agreeable	
	3 (d)	(d) commercial petroleum storage facilities, gas storage facilities and terminals including LNG terminals;	(d)petroleum storage facilities including POL depot, installations and terminals; (e) Natural gas storage facilities including LNG terminals;	Agreeable	
10	3 (g)	dispensing stations and POL retail outlets	retail outlets dispensing like Petroleum, Auto LPG, LNG, CNG etc.	Agreeable	
11	3 (h)	(h) transportation of petroleum products by road;	(h) transportation of petroleum products, LNG, CNG etc by road;	Agreeable	

SN	Clause No.	Clause Description	Proposed Amendment	IOCL CO-HSE comments on proposed amendment	Remarks/ justifications
12	4.1	The scope shall cover – (i) the identification of emergencies; (ii) the mitigation measures that attempt to reduce and eliminate the risk or disaster; (iii) the preparedness that to develop plans for actions when disaster or emergencies occur; (iv) the responses that mobilize the necessary emergency services including responders (primary, secondary and tertiary) like fire service, police service, medical service including ambulance, government as well as non-governmental agencies; (v) the post disaster recovery with aim to restore the affected area to its original conditions;	(iii) the preparedness of emergency plans for action when disaster or emergency occur; (iv) the responses that mobilize the necessary emergency services including expendence like five contine, policy expenses and produced to the continuous continuous policy of the contin	The Words (RIL, MRPL & IOCL) to be deleted from end of the sentence of para 4.1(v) & sentence to be worded as (v) the post incident/ accident/ disaster recovery with aim to restore the affected area to its original conditions to the extent possible;	Typographical error
13	4.2	It is intended to apply these regulations — (a) to develop an ERDMP that should be concise and informative so that members of the emergency control organization should be able to quickly refer to the action plan to determine important functions that are being carried out; (b) to manage an emergency and not to use ERDMP just as reference material for training and shall be made applicable - (i) to prevent casualties - both on-site and off-site; (ii) to reduce damage to property, machinery, public and environment;	(c) to minimize impact on people; (d) to reduce damage to property, machinery and environment; (e) to develop a state of readiness for a prompt and orderly response to an emergency and to setsfills a high order of progressing (equipment personnel).	Agreeable	
14			1. No two locations shall be identical in respect of layout, surroundings, products, storage quantities, meteorological data etc. Therefore, ERDMP will be location specific as per the available resources. However, follwong methodology should be adopted in cases of Cross Country Pipelines, City Gas Distribution Networks, Retails Outlets, Road Transporation, ERDMP document 2. The entity should prepare a single ERDMP document of a Cross Country Pipeline (As per PNGRB Authorization). However, location/installation specific information will be made available in detailed/ details in the document. 3) The entity shall formulate Emergency Plan for Constructions/Projects in accordance with the guidelines (Refer Annexure 2), duly approved by Occupier. For Constructions/Projects in existing installations, the existing ERDMP document should either cover or be modified as per Annexure 2. 4) Entities owning Retail outlets (ROs) shall identified various format for its RO like (Like RO with LPG, RO without LPG, RO in Cities, ROs on Highways or combination of two or more etc.) and prepare typical ERDMP in accordance with these regulations for implementation across all ROs of same format and ensure compliance. 5) For road transporation, entity shall identify the routes, prepare typical ERDMP and share the same with various stakeholders as per caluse 28.	3) The entity shall be formulate Emergency	Typographical error Provides clarity for greenfield projects
15	8 (1)	There shall be a system for ensuring compliance to the provision of these regulations through developing a well defined Emergency Response and Disaster Management Plan and conduction of mock drill and safety audits during the construction, commissioning and operation phase, as well as on an on-going basis. There shall also be a system of do's and don'ts regarding safety, mock drills or real emergencies for the visitors before entering an establishment. This should be supported by written instruction sheet for the visitor and ensured that visitor is accompanied by plant representative on forward visit and return gate.	There shall be a system for ensuring compliance to the provision of these regulations through developing a well defined Emergency Response and Disaster Management Plan and conduction of mock drill and safety audits during the construction, commissioning and operation phase, as well as on an on-going basis.	Agreeable	

SN	Clause No.	Clause Description	Proposed Amendment	IOCL CO-HSE comments on proposed amendment	Remarks/ justifications
16	8 (2)	The Board shall monitor the compliance of ERDMP, Technical Standards and Specifications including Safety Standards either directly or indirectly by accredited third party through separate regulations on third party conformity assessment.		Agreeable	
		Add	(2) The Board of the entity shall appoint one of its directors, within ninety days of these regulations come into force, to be responsible for ensuring compliance to these regulations.	No comments	
17	8 (3)		(3) In case of any deviation or shortfall, in achieving the recommended standards the entities are liable to penal provisions under the provisions of the technical standards, specifications including safety standards PNGRB Act, 2006.	Agreeable	
18	8 (4)	Mutual Aid Association not responding as per Memorandum of Understanding (MoU) or written agreement on request of assistance shall attract penalty under these regulations as under:- (a) for first default in response, the defaulting entity with the application and its management shall have to submit written explanation to affected mutual aid members. (b) for the second and successive failure, the defaulting entity shall have to pay the double of the billed amount of expenses incurred by affected mutual aid members in case of any eventuality occurs in the premises of affected mutual aid members.		Agreeable	
19	10.1 (1)	(d) check points for hazard identification are given at Check list-1.	(d) Refer check points for hazard identification are given at Check list-1.	Agreeable	
20		The second step of the ERDMP process is to determine the risk of an incident associated with each hazard.	The second step is to determine the risk of an incident associated with each hazard.	Agreeable	
21		(d) the combination of consequences and probability will allow the hazards	(d) the combination of consequences and probability will allow the risks to be	Agreeable	
22	10.2	(e) after assessing the risk, the "maximum tolerable criterion" must be defined and above which the risk shall be regarded as intolerable. Whatever be the benefit level must be reduced below this level;	To be removed.	The clause is necessary , not to be removed	The clause provides better clarity in defining the maximum tolerable criteria hence not to be deleted.
23		(f) the risk should also be made "as low as reasonably practicable" (ALARP) and least impacting the neighbourhood. While conducting the risk analysis, a quantitative determination of risk involves three major steps:-	the risk should also be made "as low as reasonably practicable" (ALARP) and least impacting the neighbourhood. While conducting the risk analysis, a quantitative determination of risk should be categorized in three regions as below:	Agreeable	
24	10.4	waves, fast spreading flames, BLEVE, UVCE resulting in direct effects like damage to buildings/property, burns, fatalities. However, an Incident in the neighborhood may sometimes cascade into an on-site emergency. It should be prevented or managed to avoid major emergency.	buildings/property, burns, fatalities. However, an Incident in the neighborhood may sometimes cascade into an on-site emergency. It should be prevented or managed to avoid major emergency.	Agreeable	
25	11.2	Resource mobilisation shall include manpower requirement, fire fighting materials, appliances or equipment, safety equipment, communication facilities, transport, list of emergency drugs and appliances, etc. (Schedule-IV).	resource mobilisation snail include manpower requirement, fire fighting materials,	Agreeable	
26		Incident preventing measures and procedures	Health, Safety and Environment Management	Agreeable	
27		The incident prevention measures and procedures at installation or other locations shall include the following:-	The entity shall have an effective Health, Safety and Environment Management System in place to ensure safety during operation and emergencies. This shall include the following:-	Agreeable	
28		(ii) proper layout and inter facility distances (the layout should not have any criss-cross movement of men and materials):	(ii) proper layout and inter facility distances	Agreeable	
29		(iii) safety committees with fair participation of Union leaders and workers;	(iii) safety committees with fair participation of workers;	Agreeable	
30	11.3	(v) work permit system (including confined space and entry permit);	(v) work permit system	Agreeable	
31		(vi) early warning alarm system in the installation (gas monitoring system, heat detection, high level alarms, low pressure/high pressure alarms etc.) especially in the vicinity of storage tanks, filling station, delivery points and along with periphery with the indication in the central control room;	(vi) early warning alarm system in the installation (gas monitoring system, heat/smoke detection, high level alarms, low pressure/high pressure alarms etc.)	Agreeable	
32		(viii) fire protection (preferably automatic) and HSE Management system;	(viii) fire protection (preferably automatic)	Agreeable	
33		(ix) drill for visitors including assembly procedure and escape route, do's and don'ts written instructions before entry, etc;	(ix) Visitor safety briefing including, do's and don'ts in case of emergency including assembly points and escape routes etc.	Agreeable	

SN	Clause No.	Clause Description	Proposed Amendment	IOCL CO-HSE comments on proposed amendment	Remarks/ justifications
34		challenge each segment of the organization. Limited scale drills are useful and should be used by Chief of each Support Service to train his own team.	(b) Drills should present a variety of Emergency scenarios and designed to challenge each segment of the organization. Limited scale drills (functional drills) are useful and may be used by Chief of each Support Service to train their own team.	Agreeable	
35		(d) Some of the drills should also include the participation of outside groups and agencies such as police, fire companies, ambulance service, civil defence organizations and mutual aid groups.	agencies such as police, fire services, ambulance service, civil defence organizations and mutual aid members/groups.	Agreeable	
36	12.1	(e) Testing and mock drills for onsite emergency plan shall be carried once in three months and for offsite emergency plan twelve months.	(e) Mock drill for On site (Level –I /II) and Off site (Level-III) emergency shall be carried once in three months and twelve months respectively. Entity shall conduct as least one On site emergency exercise of Level II during the year.	Agreeable	
37		(f) For other installations, the mock drill shall be carried out once a year. However, for locations having more than one industry member, the annual mock drill can be carried out by one industry member in turn, thus ensuring one mock drill in every year at the location.	(f) For locations having more than one industry member, the Off site emergency exercise can be carried out by one industry member by turn in coordination with District Authority, thus ensuring at least one mock drill in every year at the location.	Agreeable	
38		(h) Each Mock Drill should be recorded with observations and deficiencies to be rectified within 24 hours.	(h) Each Mock Drill should be recorded with observations and deficiencies within 24 hours. Accordingly, time bound action plan to be prepared for rectifications.	Agreeable	
39	12.2	workers, transport crew and security personnel.	the personnel likely to be involved directly or indirectly to the emergencies including employees, contract workers, transport crew and security personnel.	Agreeable	
40		only after clearance of attending and passing safety training.	(ii) Contract personnel and contract labourer shall be allowed to start work only after clearance of attending and validation of safety training.	Agreeable	
41	12.3	Since combating major emergencies might be beyond the capability of individual unit, it is essential to have mutual aid arrangements with neighboring industries. Consideration shall be given to the following while preparing mutual aid arrangements:-	unti/ facility/ entity /site, it is essential to have mutual aid arrangements with neighboring industries. Consideration shall be given to the following while preparing mutual aid arrangements:-	Agreeable	
42		manpower, medical aid or fire fighting equipments, etc.	Written mutual aid arrangements are to be worked out to facilitate additional help in the event of Level-II and Level-III emergencies by way of rendering manpower, medical aid or fire fighting equipments, etc.	Agreeable	
43	13.a	(iii) Wind speed and direction should be recorded with the help of anemometer and declaration of off-site emergencies should be immediately communicated to DDMA.	To be removed	Agreeable	
44	14	(1) The ERDMP shall identify the safe transition from normal operation to emergency operations and systematic shut down, if any, and the delegation of authority from operations personnel to emergency response personnel. For this purpose, the plan shall identify an emergency response organization with appropriate lines of authority with succession planning and actuating the response management. Responsibilities for decision making shall be clearly shown in an emergency organization chart. The plan shall identify each responder's position, mission, duties and reporting relationship.	(1) The ERDMP shall identify the safe transition from normal operation to emergency operations and systematic shut down, if any, and the delegation of authority from operations personnel to emergency response personnel. For this purpose, the plan shall identify an emergency response organization with appropriate lines of authority for actuating the response management. Responsibilities for decision making shall be clearly shown in an emergency organization chart. The plan shall identify each responder's position, mission, duties and reporting relationship.	Agreeable	
45		(a) to promptly control problems as they develop at the scene.	(a) to promptly act before, after and during the incident.	Agreeable	
46	14.2	shall be essential. Shift personnel must be prepared to take charge of the emergency control functions or emergency shutdown of system, if need be,	(e) In setting up the organization, the need for round-the-clock coverage shall be essential. Shift personnel must be prepared to take charge of the emergency control functions or emergency shutdown of system, if need be, until responsible personnel arrive at the site of emergency. The organization should have an alternate arrangement for each role.	Agreeable	
47	14.2	Roles and Responsibilities	Typical Roles and Responsibilities (To be modified as per organizational structure)	Agreeable	
48	14.2.1	Responsibilities of the Chief Incident Controller shall include the following:-	Responsibilities of the Chief Incident Controller shall include but not limited to the following:-	Agreeable	
49		(e) taking decision on seeking assistance from mutual aid members and external agencies like Police, Fire Brigade, Hospitals etc.;	(e) taking decision on seeking assistance from mutual aid members and external agencies like Police, Fire Brigade, Hospitals etc. in consultation with SIC.	Agreeable	
50		Responsibilities of the Chief Incident Controller shall include the following:-	Responsibilities of the Site Incident Controller shall include but not limited to the following:-	Agreeable	
51		(b) The SIC shall be capable of making quick decisions and taking full charge;	(b) The SIC shall be empowered of taking quick decisions and take full charge;	Agreeable	
52	14.2.2	(d) The SIC shall be responsible for ensuring that appropriate local and national government authorities are notified, preparation of media statements, obtaining approval from the CIC and releasing such statements once approval received;	approval from the CIC and releasing such statements once approval received;	Agreeable	
53		(e) He must ensure next of kin are notified in a timely manner;	(e) SIC must ensure next of kin are notified in a timely manner	Agreeable	
54			To be added: The SIC shall ensure all personnel of emergency response team are trained for assigned roles during emergency.	Agreeable	
55	14 2 3	Responsibilities of the administration and communication controller shall include the following:-	Responsibilities of the administration and communication coordinator shall include the following:-	Agreeable	

SN	Clause No.	Clause Description	Proposed Amendment	IOCL CO-HSE comments on proposed amendment	Remarks/ justifications
56	14.2.3	(b) to direct them on arrival of external agencies to respective coordinators at desired locations:	(b) to direct on arrival of external agencies to SIC.	Agreeable	
57		at debite total triple	To be added: to advise CIC on mobilization of mutual aid and to arrange requirement of additional firefighting resources including help from mutual aid members.	Agreeable	
58		(e) direct the fire brigade personnel and mutual aid members to their desired roles as also proper positioning of the manpower and equipment;	(f) Guide the external fire brigade personnel and mutual aid members to their desired roles as also proper positioning of the manpower and equipment	Agreeable	
59	14.2.4	(f) to decide the requirement of mutual aid and instruct fire station, who, in turn will contact mutual aid members;	To be deleted.	Agreeable	
60	14,2,4	 (g) to coordinate with outside fire brigades for properly coordinated fire fighting operation; 	(g) to coordinate with external fire brigades for properly coordinated fire fighting operation.	Agreeable	
61		(i) to arrange requirement of additional fire fighting resources including help from mutual aid partners;	To be deleted.	Agreeable	
62		 (j) ensure empty and loaded trucks are removed to safer area to the extent possible so as not to affect emergency handling operations; 	 (j) ensure empty and loaded vehicles are removed to safer area to the extent possible so as not to affect emergency handling operations. 	Agreeable	
63		(I) ensure adequate hydrant pressure in the mains and monitor water level in the reservoir.	(I) ensure adequate fire water pressure in the mains and monitor water level in the reservoir.	Agreeable	
64		14.2.5.7 (a) Maintenance of ERDMP Records.	14.2.5.7 (a) Maintenance of Incident Records	Agreeable	
65	14.2.5.7	There shall be maintenance of ERDMP records for all kind of emergencies covering near Miss, Level-I, Level-II and Level-III. Organisation shall maintain an Incident Record Register for the above purpose and post-disaster documentation like resources deployed, relief, rehabilitation measures and lesson learned to avoid re-occurrence of any such emergency. Head of 185 or any other designated personnel by the CIC/SIC shall be responsible for maintenance of such records.	Inere snall be a system to maintain the records for of all kind of inclidents / emergencies including near Misses. Organisation shall maintain an Incident Recording System for the above purpose and post-disaster documentation like resources deployed, relief, rehabilitation measures and lesson learned to avoid re-	Agreeable	
66	14.2.5.8	(c) Control room shift in-charge will act as site incident controller till arrival of designated person.	(c) Shift in-charge will act as site incident controller till arrival of designated person.	Agreeable	
67	14.2.5.9	minutes i.e.(wailing siren 2min + gap 1 min + wailing siren 2min + gap	(a) Emergency Level I — The siren code for Level I shall be decided by Untity depending upon the size and complexity of installation. (b) Emergency Level II - A wailing siren for two minutes (c) Emergency Level III - Same type of siren as in case of Level II but the same will be sounded for three times at the interval of one minutes i.e.(wailing siren 2min + gap 1 min + wailing siren 2min	Sentence correction: (a) Emergency Level I – The siren code for Level I shall be decided by Untity Entity depending upon the size and complexity of installation.	Typographical error
68	15.1	15.1 Emergency control centers (ECC).	Emergency Control Centers (ECC)	Agreeable	
69		All ECC should have emergency lights so that operations can continue in the event of power failure.	All ECC should have emergency power back up and emergency light with DC source so that operations can continue in the event of power failure.	Agreeable	
70	15.2	(1) There should be pre-designated areas in safe zone as per quantitative	(1) There should be pre-designated areas in safe zone as per Consequence Analysis of the major scenarios, where the personnel like workers, staff, contractor workers etc. not involved in emergency operations (as per ERDMP) shall assemble in case of an emergency.	Agreeable	
71	16	(2) During idle shift or holidays, the security personnel will combat the incident as per the ERDMP organisation chart and at the same time inform various emergency controllers for guidance and control the situation.	(2) During idle shift or holidays when no operating personnel are present, the security or other trained personnel will combat the incident as per the ERDMP organisation chart and at the same time inform various emergency controllers for guidance and control the situation.	Agreeable	
72		(3) When emergency becomes catastrophic and evacuation beyond the plant premises is considered necessary by the chief incident controller, the situation will be handed over to district authority for implementing the off- site emergency plan.	(3) When situation becomes catastrophic and evacuation beyond the plant premises is considered necessary by the chief incident controller, the situation will be handed over to district authority for implementing the off-site emergency plan.	Agreeable	
73		(b) fire protection system (Active and Passive)	(b) fire protection and fire fighting system (Active and Passive)	Agreeable	
74 75	17.0 (2)	(c) fire fighting systems (f) first aid and medical facilities round the clock with availability of minimum one nurse (24X7) and doctor in the first aid room.	To be deleted. e) first aid facilities f) medical facilities in house ,or a tie-up with near by hospital/ health center	Agreeable Agreeable	

SN	Clause No.	Clause Description	Proposed Amendment	IOCL CO-HSE comments on proposed amendment	Remarks/ justifications
76	18	ERDMP shall be prepared based on the following information: - (a) neighboring population in a 5 km radius (b) housing colonies of industries (c) sensitive institutions such as schools, hospitals, religious establishments and old aged homes, etc.	ERDMP shall be prepared based on the following information: - (a) neighboring population in a 2 km radius or as per consequence analysis, whichever is higher (b) housing colonies of industries (c) neighboring industries, installations, pipelines etc. (d) sensitive institutions such as schools, hospitals, religious establishments and old aged homes, etc. (e) cattle and livestock (f) flora and fauna	Agreeable	
77	20	(3) Portable mobile vehicle for announcement should be available in the emergency.	(3) Vehicle with Public Address System for announcement should be available in the emergency.	Agreeable with following modification: (3) Vehicle with Public Address System/Portable PA system as per requirement of the installation should be available for announcement in case of emergency.	Based on availability and requirement of the installation, vehicle with public address system or portable PA system can be used.
78	21	(2) For the purpose, use of Dos' and Don'ts' shall be prepared and furnished to the Crisis management Group. Display boards carrying do's and don'ts should be located outside the gate as well as in the neighbouring colonies and other habitat areas in the immediate vicinity.	Display boards containing do's and don'ts should be located outside the gate as well as in the neighbouring colonies and other habitat areas in the immediate vicinity.	Agreeable	
79	23	1) All incidents covered under Level-I should be maintained by the entity for inspection whenever called for inspection and Level-II and Level-III shall be reported to the Board in the format specified and placed at Schedule-VI including near miss incident. The above report should be submitted within 48 hours after occurrence of the incidents or any other reason triggering major incident.	To be revised in view of Incident Reporting Catergorization.	Agreeable	
80	23	2) Investigation report of all major incidents shall be submitted to the Board. An incident shall be treated as Major if any of the following occurs; (a) fire for more than 15 minutes (b) explosion / blowout (c) fatal incident. (d) loss above Rs. 10.0 Lac (e) cumulative man hours lost more than 500 hrs. (f) plant shutdown / outage due to the incident (g) Level-III incident	1) An incident shall be treated as 'Major' if any of the following occurs; (a) fire for more than 15 minutes (b) explosion / blowout (c) fatal incident. (d) loss above Rs. 2.0.0 Lac (e)cumulative man hours lost more than 500 hrs. (f) plant shutdown / outage due to the incident 2) 'Major' Incident shall be reported to the PNGRB in the format specified and placed at Schedule-VI. The above report should be submitted within 48 hours after occurrence of the incidents. However, First Information Report (FIR) on 'Major' Incident shall be intimated to PNGRB through telephone, email or SMS immediately or but not later than 4 hours of occurrence. 3) Detailed investigation report of all 'Major' incidents shall be submitted to PNGRB within 30 days of occurrence along with time bound mitigation plan of recommendations, made during the investigation. 3) All incidents covered under Minor Incident and Near Misses should be maintained by the entity for inspection in specified format of Schedule-VI. 4) Quarterly report consisting Summary of Major (including detailed Investigation Report) & Minor incidents and Near Misses (Only Nos.) shall be sent to PNGRB within 30 days of end of quarter.	Agreeable	
81	28.1.a	In order to handle Emergencies, which may arise due to incident involving Petroleum Product Transportation, it is required that a comprehensive Emergency Management Plan is readily available with the industry as well as with other related authorities all along the routes. The ERDMP should be clearly understood by its users so that the emergencies can be handled in a systematic manner with minimum response time in accordance with the prescribed procedure.	In order to handle Emergencies, which may arise due to incident involving	Agreeable	

SN	Clause No.	Clause Description	Proposed Amendment	IOCL CO-HSE comments on proposed amendment	Remarks/ justifications
82	30	(1) With increase in terrorist activities towards the end of 20th century and installations having, significant role in national economy, sabotage and bomb threats to such installation should also be considered in the disaster management plan. Such as high level of alertness measures, strengthening security measures by security gadgets mechanical and electronic security gadgets. In any of such situation, city police/administration should be informed immediately and their help should be sought. (2) Emergency Action in case of Bomb Threat: (a) The persons inside the Plant should be evacuated as soon as possible. (b) All the vehicles in the plant premises should be evacuated to safer places. (c) Plant personnel should contact district authorities immediately. (d) Any new or doubtful thing should not be touched. (e) All pipeline and tank valves should be closed and all the operations inside the Bottling Plant should be stopped. (f) In case of fire, firefighting equipments shall be operated and city fire brigade should be called immediately during emergency.	A detailed action plan on security breach/ threat including bomb threat shall be prepared by each installation and periodic mock drill shall be carried out against various scenarios.	Agreeable	
83	31	(1) Whenever any deviation from this code of practices is required to be implemented, the entity shall seek approval of the Board with mitigation measures proposed to be carried out giving full details and justification for	Whenever any deviation from this code of practices is required to be implemented, the entity shall thereafter take approval from its Board for non-conformities and mitigation measures. The entity's Board approval along with the compliance report, mitigation measures and implementation schedule shall be submitted to the Board within six months.	Agreeable	
84			"A copy of ERDMP, duly approved by the Board of Directors of the organisations shall be submitted to the PNGRB. Further the amendments to ERDMP document should be approved by the authority which has approved the ERDMP document i.e. entity's Board of Directors.	Sentence to re-phrased as under: "A copy of ERDMP, duly approved by the Board of Directors of the organisations shall be submitted to the PNGRB. Further the amendments to ERDMP document should be approved by the entity's Board of Directors or any Functional Director authorised by Board of Directors."	Very large Number of locations (>400 Nos) are owned by IOCL. Getting Board approval for ammendment in ERDMP documents in time is very very difficult. As Functional Directors are fully familiar with their locations therefore ammendement in ERDMP documents & its approval may be permitted by any Functional Director authorised by entity's Board of Directors.
85	Sch III	as Environmental Laboratories, fire fighting chemical suppliers, public and	 Addresses and Telephone Directory of Professional Emergency Responders, Technical Support Services such as Environmental Laboratories, fire fighting chemical suppliers, public and private consultant associated with emergency handling and Aviation Medical Services, if any. 	Agreeable	
86	Sch IV	-	Emergency Response Vehicle and details of temporary shelters are added in checklist under S.No. 5 & 9 respectively.	Agreeable	
87	Sch VI	- Fire for more than 15 minutes - Explosion / Blowout - Fatal Incident Loss above Rs. 5.0 Lac Cumulative man hours lost more than 500 hrs Plant Shutdown / Outage due to the incident	Fire for more than 15 minutes - Explosion / Blowout - Fatal Incident Loss above Rs. 5.0 Lac20 Lac Cumulative man hours lost more than 500 hrs.	Clause to be corrected as: - Fire for more than 15 minutes - Explosion / Blowout - Fatal Incident Loss above Rs5.0 Lac20 Lac Cumulative man hours lost more than 500 hrsPlant Shutdown / Outage due to the incident (to be added)	Typographical error The definition of major incident to be in line with Sr. No. 80 , Clause 23
88	Sch VII	xii) The pipeline operator shall draw up a Pipeline Management System (PMS) to ensure that it is properly implemented. The PMS shall be designed to guarantee a high level of protection of human health and the environment. The following issues shall be addressed by the Safety Management System.	shall be addressed by the Pipeline Management System.	Agreeable	
89	Sch VIII		A. Gas Explosi Meter under head Electrical Equipment has been shifted in 'Other Safety Items' as Portable Gas Detectors. Barricading Tape in added under Traffic Control Equipment. B. Nearby NDRF Battalion is added in Section 'B'	Agreeable	

SN	Clause No.	Clause Description	Proposed Amendment	IOCL CO-HSE comments on proposed amendment	Remarks/ justifications
90	Checklist 1	Which of the following procedures or techniques for hazard identification has been used in the terminal/ installation	Which of the following procedures or techniques for hazard & risk identification has been used in the terminal/ installation	Agreeable	
91		Vulnerability Analysis: 15) Whether zones of influence or vulnerable zones are estimated by considering the maximum single storage of hazardous substance and maximum loss scenario. 16) Whether effects of influence on the vulnerable zones are made after considering the population, facilities and environment encompassed inside that zone		Agreeable	
92	Checklist 1	Risk Reduction Measures :21) Whether steps have been considered to reduce risks to the exposed population by increasing safe distances by acquiring property around the facility, if possible	To be deleted.	Agreeable	
93		HAZOP Study	PHA Study	Sentence to be rephrased as: "HAZOP/PHA study"	In case of Marketing locations including Retail Outlets, PHA study may not be applicable.
94	Ī	25) Whether potential means for detection of such events and preventive measures are recommended by the study	To be deleted	Agreeable	
95	Annexure I	Format of MSDS	Introduction of revised format having 16 elements . Attached as Annexure - I.	Agreeable	
				Sentence correction required in Annexture -II	
96	Annexure 2	-	Guidelines for Emergency Response Plan w.r.t Construction/Project activities proposed to be added. Attached as Annexure - II .	Comment: 3.d) Deployment of Safety Officer/ Supervision Supervisor	Typographical error
97	Annexure 3	-	Typical Mock Drill format is proposed to be added to ensure effectiveness of Emergency Response. Attached as Annexure - III .	Reference of Annexure III to be indicated	In the proposed amended rules, there is no reference of Annexure III
The f		clause was amended later vide public notice dtd 12.0	3.20 (vide mail dtd 16.03.20):		mentioned anywhere
The f		clause was amended later vide public notice dtd 12.0	24.1 After reporting of the incidents to Board, Nodal officer of the Board (head of Technical Standards the specifications and safety group) shall have responsibility of informing all the Members of the Board and shall coordinate with appropriate level in National Disaster	Agreeable	mentioned anywhere
The f		clause was amended later vide public notice dtd 12.0	24.1 After reporting of the incidents to Board, Nodal officer of the Board (head of Technical Standards the specifications and safety group) shall have responsibility of informing all the Members of the Board and shall coordinate with appropriate level in National Disaster Management Authority (NDMA) till normalization of the situation. 24.2 All major incidents shall be investigated by the entity through an enquiry committee comprising experts not directly associated with the incident to identify the lapses/ shortcomings, establish the causes of failure, suggest remedial measures to prevent the recurrence of such incident, fix responsibility etc. and submit the report of the committee to	Agreeable Agreeable	mentioned anywhere
The 1		After reporting of the incidents to Board, Nodal officer of the Board (head of	24.1 After reporting of the incidents to Board, Nodal officer of the Board (head of Technical Standards the specifications and safety group) shall have responsibility of informing all the Members of the Board and shall coordinate with appropriate level in National Disaster Management Authority (NDMA) till normalization of the situation. 24.2 All major incidents shall be investigated by the entity through an enquiry committee comprising experts not directly associated with the incident to identify the lapses/ shortcomings, establish the causes of failure, suggest remedial measures to prevent the		mentioned anywhere
98		After reporting of the incidents to Board, Nodal officer of the Board (head of Technical Standards the specifications and safety group) shall have responsibility of informing all the Members of the Board and shall coordinate with appropriate	24.1 After reporting of the incidents to Board, Nodal officer of the Board (head of Technical Standards the specifications and safety group) shall have responsibility of informing all the Members of the Board and shall coordinate with appropriate level in National Disaster Management Authority (NDMA) till normalization of the situation. 24.2 All major incidents shall be investigated by the entity through an enquiry committee comprising experts not directly associated with the incident to identify the lapses/ shortcomings, establish the causes of fallure, suggest remedial measures to prevent the recurrence of such incident, fix responsibility etc. and submit the report of the committee to the Board within 30 days of the incident.; 24.3 Following major incidents shall also be investigated by an enquiry committee constituted by the Board. a. Explosion / blast. b. Fires involving fatality or major fires. c. Pipeline leakages in petroleum, petroleum product or natural gas pipelines as decided by the Board.	Agreeable	mentioned anywhere
	following	After reporting of the incidents to Board, Nodal officer of the Board (head of Technical Standards the specifications and safety group) shall have responsibility	24.1 After reporting of the incidents to Board, Nodal officer of the Board (head of Technical Standards the specifications and safety group) shall have responsibility of informing all the Members of the Board and shall coordinate with appropriate level in National Disaster Management Authority (NDMA) till normalization of the situation. 24.2 All major incidents shall be investigated by the entity through an enquiry committee comprising experts not directly associated with the incident to identify the lapses/ shortcomings, establish the causes of fallure, suggest remedial measures to prevent the recurrence of such incident, fix responsibility etc. and submit the report of the committee to the Board within 30 days of the incident.; 24.3 Following major incidents shall also be investigated by an enquiry committee constituted by the Board. a. Explosion / blast. b. Fires involving fatality or major fires. c. Pipeline leakages in petroleum, petroleum product or natural gas pipelines as decided by the Board.	Agreeable Agreeable	mentioned anywhere
	following	After reporting of the incidents to Board, Nodal officer of the Board (head of Technical Standards the specifications and safety group) shall have responsibility of informing all the Members of the Board and shall coordinate with appropriate level in National Disaster Management Authority (NDMA) till normalization of the	24.1 After reporting of the incidents to Board, Nodal officer of the Board (head of Technical Standards the specifications and safety group) shall have responsibility of informing all the Members of the Board and shall coordinate with appropriate level in National Disaster Management Authority (NDMA) till normalization of the situation. 24.2 All major incidents shall be investigated by the entity through an enquiry committee comprising experts not directly associated with the incident to identify the lapses/ shortcomings, establish the causes of fallure, suggest remedial measures to prevent the recurrence of such incident, fix responsibility etc. and submit the report of the committee to the Board within 30 days of the incident.; 24.3 Following major incidents shall also be investigated by an enquiry committee constituted by the Board. a. Explosion / blast. b. Fires involving fatality or major fires. c. Pipeline leakages in petroleum, petroleum product or natural gas pipelines as decided by the Board. d. Any other incident as decided by the Board.;	Agreeable Agreeable Clause to be rephrased as below: 24.4 Terms of reference for the enquiry	In line with proposed clause 24.6, entity's management should identify the responsible persons for the failure as
	following	After reporting of the incidents to Board, Nodal officer of the Board (head of Technical Standards the specifications and safety group) shall have responsibility of informing all the Members of the Board and shall coordinate with appropriate level in National Disaster Management Authority (NDMA) till normalization of the	24.1 After reporting of the incidents to Board, Nodal officer of the Board (head of Technical Standards the specifications and safety group) shall have responsibility of informing all the Members of the Board and shall coordinate with appropriate level in National Disaster Management Authority (NDMA) till normalization of the situation. 24.2 All major incidents shall be investigated by the entity through an enquiry committee comprising experts not directly associated with the incident to identify the lapses/ shortcomings, establish the causes of failure, suggest remedial measures to prevent the recurrence of such incident, fix responsibility etc. and submit the report of the committee to the Board within 30 days of the incident; 24.3 Following major incidents shall also be investigated by an enquiry committee constituted by the Board. a. Explosion / blast. b. Fires involving fatality or major fires. c. Pipeline leakages in petroleum, petroleum product or natural gas pipelines as decided by the Board. d. Any other incident as decided by the Board.;	Agreeable Agreeable Clause to be rephrased as below: 24.4 Terms of reference for the enquiry committee shall include: a. identify the lapses / shortcomings; b. establish the root cause (s) of failure; c. suggest improvements / remedial	In line with proposed clause 24.6, entity's management should identify the

SN	Clause No.	Clause Description	Proposed Amendment	IOCL CO-HSE comments on proposed amendment	Remarks/ justifications
			24.6 The entity shall take necessary measures to prevent the recurrence of such incidents, identify the responsible persons for failure as per the assigned roles and responsibilities and forward the action taken report on the report of the enquiry committee duly vetted by the Board of Directors of the entity to the Board."	Agreeable	