

PIPELINE INFRA

ERDMP Regulation Amendment Comments			
Clause No.	Description	Proposed Change	Justification
2(n)	Leak means release.....into the environment	Leak means unintentional release.....into the environment	Better clarity
11.1 (1)	The first step, natural calamities, etc.	The first step, natural calamities , Outburst of disease /Pandemic etc.	
14.5.9.2. (2) (b)	Emergency Level-II and III: Same type of siren as in case of Level – I and II but the same	Emergency Level-II and III: Same type of siren as in case of Level – I and II but the same	Siren Code for Level-II is not seperately defined.
24.3	Following Major incident shall be...	Following major incidents including as mentioned under Schedule 23(2) shall also be.....	Better clarity
24.5	The enquirycommittee shall submit the preliminary report within a week and final report to the Board within 30 days of constitution	It shall be "The enquiry.....30 days of constitution of the committee.	Contradicts with the statement in 24.2 above stating submission of report within 30 days of the incident.
28.3.1 (g) & (h)	(g)arrange water through muni (h)cipal water tanker or any other source;	(g) arrange water through muni (h) cipal water tanker or any other source;	Continuity of sentence
29	29.0 Security Threat Plan	Numbering of this Setion shall be 30.0	Serial No. Change. There is duplication of Sections of 29
30	30.0 Miscellaneous .	Numbering of this Setion shall be 31.0	
Schedule -4, Sr.2		Add portable fire extinguishers of various types	
Schedule -4, Sr.3	Refill Cylinders for B.A. Set	Mention it as " Spare Refilled Cylinders for B.A. Set "	
Schedule -4, Sr.6	Miscelleneous	Add Wind Socks	
Checklist-4, Sr.5	Does the Fire Hydrant Layout conspicuously displayed .	Does the Fire water network Layout conspicuously displayed .	
Annexure-1	MSDS is of 9 points	16 Points MSDS format shall be included.	As per GHS requirement
Annexure-A- Sr.12	v).....(RIL, MRPL, IOCL, PIL & CGD trunk pipelines)	(RIL, MRPL, IOCL, PIL & CGD trunk pipelines)	Industies name shall not appear in Regulations
Annexure- A Sr.14	1. No two locations shall be identical ...	1. No two locations are identical...	
Annexure- A Sr. 31		Vi) Temperature alarm may be added	
Annexure- A Sr. 45	a)To promptly act before, after, and during the incident.	a)To promptly act before, during and after the incident.	Sequencing
Annexure- A Sr. 66	C) Shift incharge will act as	c) Shift Incharge/ First Responder will.....	