



पेट्रोलियम एवं प्राकृतिक गैस विनियामक बोर्ड  
Petroleum and Natural Gas Regulatory Board  
प्रथम-तल, वर्ल्ड ट्रेड सेंटर, बाबर रोड, नयी दिल्ली - 110001

1<sup>st</sup> Floor, World Trade Centre, Babar Road, New Delhi – 110001

No.: BID/PPL/01/2017/1/BPPL

08.03.2017

To

All Prospective Bidders  
-----

**Sub: Pre-bid meeting and clarifications related to Bina-Panki Petroleum and Petroleum Products pipeline (Bid No.: BID/ PPL /01 / 2017 /1 / BPPL)**

Sir,

Pursuant to the issues raised during pre-bid meeting of **Bina-Panki Petroleum and Petroleum Products pipeline** held on 17.02.2017 at PNGRB, following clarifications are being issued:


| S/N | Entity | Query raised   | Proposed Clarification   |
|-----|--------|--|--|
| 01  | BPCL   | Clause 1.1 mentions that the proposed pipeline should have a system capacity of at least 3.45 MMTPA during the entire economic life. As per our understanding this means that the capacity of pipeline should be minimum 3.45 MMTPA at the 25 <sup>th</sup> year including common carrier capacity. Kindly confirm | The pipeline is to be built with a system capacity of at least 3.45 MMTPA including common carrier capacity.             |
| 02  | BPCL   | Clause 17.4.4 allows bidders to deviate from pipeline route by +/- 5% w.r.t indicative route mentioned in the bid document for the purpose of preparation of   | Clause no 17.4.4 of the Application-cum-Bid document allows pipeline route deviation of +/-5% w.r.t the indicative route |

|    |      |  |  |
|----|------|--|--|
|    |      | <p>Feasibility Report. Further sub-regulation (3) of Regulation 13{G.S.R 722(E)} state that Board may allow re-routing of the authorized length of the pipeline by a maximum of 10%. Are these allowed deviations independent of each other and are applicable at two different stages of authorization? Kindly confirm.</p>   | <p>mentioned in the bid document for the purpose of preparation of Feasibility Report at the time of Bid submission.</p> <p>However, the provision of sub-regulation (3) of Regulation 13 of the PNGRB (Authorizing Entities to Lay, Build, Operate or Expand Petroleum and Petroleum Products Pipelines) Regulations, 2010 allows re-routing of the pipeline up to 10% of the authorized length of the pipeline post-authorization.</p> |
| 03 | BPCL | <p>Clause 5.2 requires the bidder to submit two copies of the technical bid-one original and one true copy. What does True Copy mean? Does it mean attestation by Gazetted officer/Notary?</p>   | <p>It should be photo copy of the original bid. Attestation not required.</p>  |
| 04 | BPCL | <p>Clause 9.1 mentions that the bidder who has already paid the application fee at the time of submission of Expression of Interest (EOI), which we already have (application fee of Rs. 10,000/- was paid), shall not be required to pay the application fee unless there is a requirement to pay the additional application fee. So are we required to pay application fee of Rs. 15,00,000/- at the time of submitting application –cum-bid document?</p> | <p>The bidder has to pay the Application Fee as mentioned in “invitation for Application-cum-Bid document. However, the fee paid for the EoI may be adjusted in the Application Fee as per Clause 9.1 of the Application-cum-Bid document</p>  |
| 05 | BPCL | <p>In annexure-11(Format for Bid Bond Guarantee) what does tender number mean? Does it</p>   | <p>Yes</p>   |

|    |      |   |   |
|----|------|---|---|
|    |      | mean bid number?  |   |
| 06 | BPCL | Annexure no.14 requires to provide the complete basis for tariff numbers from 11 to year 25. Kindly confirm whether the same has to be provided along with Annexure 14 in the Feasibility Report. | No. Annexure 14 is to be submitted along with Financial Bid. Please see para 5.2(iii) of Application-cum-Bid document |

The above clarifications shall constitute a part of the Application-Cum-Bid Document and shall be duly signed and submitted along with the bid document by the authorized signatory of the bidder.

Yours faithfully,



(Arvind Kumar)  
Additional Adviser