UMP India

Work Today, Plan for Tomorrow

(Engineers, Consultant, Project Management n Executor)

SEL/201/07

Dated: 13-02-2014

The Secretary,
Petroleum & Natural Gas Regulatory Board
1st Floor, World Trade Centre,
Babar Road,
New Delhi-110001

Subject : Comment on Bidding Round IV CGD MWP

Dear Sir,

This has reference to PNGRB public notice dated 16-01-2013 on Petroleum and Natural Gas Regulatory Board Biding CGD MWP.

UMP India comment's/views are as follows:-

01) MWP for Domestic connection: - 5% Percentage chosen may not hold good for all GA'S. Our suggestion is to have different percentage for different GA's. The percentage may be evaluated after careful examination of factors like demography, population, development plan etc.

02) MWP for Inch-Km: - Factor 1.5 chosen may not hold good for all GA'S. Our suggestion is to have different factor for different GA's. The factor may be evaluated after careful examination of factors like demography, population, development plan etc. Also along with steel. PE GI pipe can also added for INCH-Km calculation as this may shall promote domestic sector connection and also help successful bidder in reaching more domestic connections.

UMP India is always ready to help PNGRB formulate / comment on PNGRB regulations with its all experience.

Thanking You,

Yours truly,

Prashant Gupta
Sr. Consultant